


## Agenda


- Terminology and Hierarchy
- Remote Search Indexes
- Search Scopes
- Search Profiles
- Search Slots





# **Search Configuration Hierarchy**











### **Pre-defined Slots & Profiles**











#### Other Indexes













#### **EbscoHost API**

- No support for 'starts with'
- No support for Language prefilter
- No record counts for facet values
- Only facets supported by EBSCOhost will display
- Configure EBSCO index scopes in separate Search Profiles - not blended with local or CDI scopes








# **Local Custom Scopes**










### **Local Custom Scopes**

- The available fields for MARC21 are: 009, 09X, 490, 5XX, 69X, 9XX
- The available fields for UNIMARC are: 3XX, 6X9, 69X, 9XX







## Scope conditions


1 AND 2 OR 3 => (1 AND 2) OR 3


1 OR 2 AND 3 => 1 OR (2 AND 3)





### **Search Profiles**











#### **Search Slots**










## **Restricted Search Groups**









# MyInstitution OTB search profile


Q: We have a local data scope for an external data source we imported to Primo VE. When we try adding it to the pre-defined MyInstitution profile, we get this message: My Entire Institution and Local Data scope/s cannot be included together in the same Search Profile.





## Alma scope

**Q:** How can we have a search profile containing our Alma repository but without imported data sources?







### CDI scope

Q: How do I determine whether CDI records with no available full text initially appear in the search results?



